

Owner / Applicant Information

Brian A Statz
The Children's Museum of Indianapolis
PO BOX 3000

INDIANAPOLIS IN 46206

Phone 3173344159

Email BRIANS@CHILDRENSMUSEUM.ORG

Submitter Information

Christina Collester
RTM Consultants, Inc.
6640 Parkdale Place

Indianapolis IN

Phone 3173297700

Email collester@rtmconsultants.com

Designer Information

Bill A Browne
Ratio Architects
101 S. Pennsylvania Street

Indianapolis IN

Phone 3176334040

Email bbrowne@ratiodesign.com

Project Information

Planetarium Renovations
3000 N Meridian Street

Indianapolis IN 46208

County MARION

Project Type New Addition Alteration Existing Change of Occupancy

Project Status U F=Filed U or Null=Unfiled

IDHS Issued Correction order? No Has Violation been Issued? No

Violation Issued by: NA

Local Building Official

Phone: Email:

Local Fire Official

Phone: Email:

Variance Details

Code Name: Other Code (Not in the list provided)
2014 IBC Table 601

Conditions: The existing planetarium is being remodeled. The building is of Type IB construction. The existing dome is not rated. The dome will be raised and the new supporting construction will not be rated.

DEMONSTRATION THAT PUBLIC HEALTH, SAFETY, AND WELFARE ARE PROTECTED:

1=Non-compliance with the rule will not be adverse to the public health, safety or welfare.

2

2= Applicant will undertake alternative actions in lieu of compliance with the rule to ensure that granting of the variance will not be adverse to public health, safety, or welfare. Explain why alternative actions would be adequate (be specific).

Facts: Design density in the space will be upgraded from light hazard to ordinary hazard group 1.

DEMONSTRATION OF UNDUE HARDSHIP OR HISTORICALLY SIGNIFICANT STRUCTURE:

Y

Imposition of the rule would result in an undue hardship (unusual difficulty) because of physical limitations of the construction site or its utility services.

Imposition of the rule would result in an undue hardship (unusual difficulty) because of major operational problems in the use of the building or structure.

Imposition of the rule would result in an undue hardship (unusual difficulty) because of excessive costs of additional or altered construction elements.

Imposition of the rule would prevent the preservation of an architecturally or a historically significant part of the building or structure

Facts: Providing fire proofing for a small portion of the dome will not increase fire safety. Sprinklers are not installed in the original dome addition currently. The work will increase the fire safety in the area.